

Progress...

- Support in place
- On Rubifen SR 20mg
- Focus better and no emotional dysregulation
- Starting to engage in making friends

Conclusion

Name _____

Signature _____

Date _____

Conclusion

- Neurodevelopment problem can be complex in children
- Principle in diagnosis
 - Get information (questionnaire/report)
 - Diagnosis to support child
 - Seek help as sometimes not just ASD and ADHD

Medication

- Psychostimulant improves anxiety in children with ADHD
- Understand there is an option for non-stimulant
- Again ask for help

Happy Chinese New Year

Reference

- University of Otago. (Year). *Title of the PowerPoint presentation*. University of Otago Research Archive. <https://ourarchive.otago.ac.nz/handle/10523/XXXXX>
- https://www.nzfchildren.org.nz/nzfc_2328?searchterm=adhd
- <https://www.goodfellowunit.org/events-and-webinars/adult-adhd-diagnosis-long-term-management>
- THE TEXAS CONSENSUS CONFERENCE PANEL ON MEDICATION TREATMENT OF CHILDHOOD ATTENTION-DEFICIT/HYPERACTIVITY DISORDER et al. Journal of the American Academy of Child & Adolescent Psychiatry, Volume 39, Issue 7, 920 – 927
- Cascade E, Kalali AH, Weisler RH. Short-acting versus Long-acting Medications for the Treatment of ADHD. Psychiatry (Edgmont). 2008 Aug;5(8):24-7. PMID: 19727272; PMCID: PMC2695738.
- Rodgers J, Wigham S, McConachie H, Freeston M, Honey E, Parr JR. Development of the anxiety scale for children with autism spectrum disorder (ASC-ASD). Autism Res. 2016 Nov;9(11):1205-1215. doi: 10.1002/aur.1603. Epub 2016 Feb 17. PMID: 26887910.

Thank you

